From: 8064986673 To: 00215712738300 Page: 6/12 Date: 2006/1/19 下午 04:00:05

Appl. No. 10/604,717 Amdt. dated January 19, 2006 Reply to Office action of October 05, 2005

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

5

10

25

- 1. (Currently amended) A direct-type backlight unit for a flat panel liquid crystal display, comprising:
 - a plurality of lamps installed within a housing;
 - a reflection plate installed under the plurality of lamps in the housing; and
- a metal diffusion film with a plurality of apertures thereon installed above the plurality of lamps for diffusing light generated by the plurality of lamps and dissipating heat from the direct-type backlight unit.
 - 2. (Currently amended) The direct-type backlight unit of claim 1, wherein each of the plurality of lamps is a cold cathode fluorescent lamp (CCFL).
- 15 3. (Canceled)
 - 4. (Currently amended) The direct-type backlight unit of claim 1, wherein the <u>metal</u> diffusion film has a thickness of less than 0.5mm.
- (Currently amended) The direct-type backlight unit of claim 1, further-comprises
 comprising a diffusion sheet located on the metal diffusion film.
 - (Currently amended) The direct-type backlight unit of claim 1, wherein at least one
 heat-dissipating piece is disposed at connected to a periphery of the metal diffusion
 film.
 - 7. (Currently amended) The direct-type backlight unit of claim 6, wherein the

From: 8064986673 To: 00215712738300 Page: 7/12 Date: 2006/1/19 下午 04:00:05

Appl. No. 10/604,717 Amdt. dated January 19, 2006 Reply to Office action of October 05, 2005

5

15

25

heat-dissipating piece is made of metal.

- 8. (Currently amended) The direct-type backlight unit of claim 6, further comprising a heat exchanging means connected with the heat-dissipating piece.
- 9. (Currently amended) The direct-type backlight unit of claim 8, wherein the heat exchanging means is a heat pipe.
- 10. (Currently amended) The direct-type backlight unit of claim 1, wherein the apertures on the <u>metal</u> diffusion film have different diameters/dimensions.
 - 11. (Currently amended) The direct-type backlight unit of claim 10, wherein the diameter/dimension of the apertures directly above the lamps is smaller than the diameter/dimension of the apertures not directly above the lamps.
 - 12. (Currently amended) The direct-type backlight unit of claim 1, wherein the diameters/dimensions of the apertures are the same.
- 13. (Currently amended) The direct-type backlight unit of claim 12, wherein the metal
 20 diffusion film has a highest aperture packing density at an area directly over the lamps.
 - 14. (Currently amended) The direct-type backlight unit of claim 1, wherein the apertures are circular or rectangular.
 - 15. (Currently amended) The direct-type backlight unit of claim 1, wherein the apertures are columns and rows of through slots arranged on the metal <u>diffusion</u> film.

From: 8064986673 To: 00215712738300 Page: 8/12 Date: 2006/1/19 下午 04:00:05

Appl. No. 10/604,717 Amdt. dated January 19, 2006 Reply to Office action of October 05, 2005

- 16. (Currently amended) A direct-type backlight unit for a flat panel liquid crystal display, comprising:
 - a plurality of lamps installed within a housing;
- 5 a reflection plate installed under the plurality of lamps in the housing;
 - a diffusion film with a plurality of apertures thereon installed above the plurality of lamps for diffusing light generated by the plurality of lamps;
 - a heat-dissipating piece directly connected to the diffusion film; and
 - a heat exchanging means connected with the heat-dissipating piece.

10

15

- 17. (Currently amended) The direct-type backlight unit of claim 16, wherein the diffusion film is made of metal and has a thickness of less than 0.5mm.
- 18. (Currently amended) The direct-type backlight unit of claim 16, further comprises comprising a diffusion sheet located on the metal diffusion film.
 - 19. (Currently amended) The direct-type backlight unit of claim 16, wherein the heat-dissipating piece is made of metal.
- 20. (Currently amended) The direct-type backlight unit of claim 16, wherein the heat exchanging means is a heat pipe.
 - 21. (New) The direct-type backlight unit of claim 16, wherein the diffusion film is made of metal.

25